

# Fence Styles & Colors



**Rustic Cedar  
Dogear Privacy**



**Rustic Cedar  
Good Neighbor  
Shadowbox**




**Rustic Redwood  
Dogear Privacy**



**Rustic Redwood  
Good Neighbor  
Shadowbox**



**Rustic Barnwood  
Dogear Privacy**




**Rustic Barnwood  
Good Neighbor  
Shadowbox**

WoodShadesfencing.com

## ADJUSTABLE GATE FRAME

- **Hardware Included**
- **Easy Installation**
- **Won't Sag or Drag**
- **Black Powder Coated to Resist Rust**
- **Hinges Rated to 3,100 lbs**

\*Instructions included



### Walk Gate

Requires (1) Adjustable Gate Frame

### Drive Gate

Requires (2) Adjustable Gate Frames

Note: Designed to adjust to fit openings of 36"-72" (inside posts)

### Tools Required:

- 9/32" Wrench or Adjustable End Wrench
- 7/16" Wrench or Adjustable End Wrench
- 9/16" Wrench or Adjustable End Wrench
- Phillips Screw Driver
- Wire Cutters
- Power Drill
- 1/2" Spade Drill Bit



WoodShadesfencing.com



\*Decorative Handles - Sold Separately



WoodShadesfencing.com



- **Rich look of wood without the maintenance**
- **Won't rot, split, or crack**
- **Easy to install, EZ4U™ system**
- **20-year limited warranty**



For more information call  
1-800-215-2740





## WoodShades™ Components



**End/Gate Post**



**Corner Post**



**Line Post**



**Backer Rails**  
1 3/4" x 3 3/4" – 71 3/4"




**Pickets**  
7/16" x 4 3/4" – 69"

Use of materials other than Woodshades Composites for rails or posts will void the 20-year warranty.

### Establish your list of materials and costs.


Quantity	Item	Lowe's Item Number	Price	Total Cost
	Corner Posts			
	End/Gate Posts			
	In Line Posts			
	Backer Rails			
	Pickets			
	Quick Set Concrete			
	1.5" Galvanized Fasteners			
			<b>Total Cost</b>	

### Grid and Drawing Notes




## Stake Out Fence Line

Stake out your fence job using stakes and string, square the corners using the "Right Triangle Method" (figure A).



## Standard Post Installation (see figure B)

Prepare all post holes remembering that from post center to post center will be 72". **DO NOT FILL WITH CONCRETE AT THIS POINT.**



Fully install, including concrete, the first post – usually an end or a corner post and let set.

## Rails and Pickets

After the first post is set, install the rails into the set post and the 2nd post; plumb at 72" on center, get level front to back, side to side.

Repeat this process for 4 or 5 sections at a time (posts-rails, post-rails, post-rails) and go back and install the pickets on these 4 or 5 sections. Do not pour the concrete into these post holes until the rails and pickets are installed in place as minor post location adjustments may be necessary.

We strongly recommend that you attach the pickets using a pneumatic staple gun and a 1/4" crown 1 1/2" galvanized staple "parallel to the grain" – 4 staples per intersection – 12 staples per picket.

Use 14 pickets if you are installing straight privacy style, 15 or 17 pickets if you are installing shadow box style depending on how closed or open you want your fence. The Woodshades fencing EZ4U™ installation system can accommodate up to 18 degrees of slope over a 6' length.

Please go to [www.woodshadesfencing.com](http://www.woodshadesfencing.com) for detailed installation instructions and tips

## General Information

Woodshades Composite Fencing is a system of pickets, rails, and posts that combine to make the most attractive and easy to install low maintenance fence available. This brochure focuses on our "EZ4U System" which employs line, end, and corner posts for installation. In this "pro-type" system, no brackets are necessary to put this fence up. In other systems, brackets are required.

Depending on the store you are visiting and what part of the country you are in, Woodshades may be available in pre-built section form, component form, or both. Pre-built sections can be used only on flat terrain while components can be used on any terrain; from flat to severely sloped.


This brochure focuses on Woodshades custom components where you would purchase pickets, rails, and posts to custom construct your fence on any terrain.

## Installation Summary

The posts and rails are installed together; the pickets nailed on afterwards. In jobs that have severe slopes, some angle end trimming of rails may be necessary. In jobs that have corners, angle end trimming of rails is always necessary.

The posts are installed 72" from center to center leaving 68" between the posts. This allows installation of 14 WoodShades™ pickets and 15 spaces of 1/8" between pickets (14 x 4.73" + 15 x .125 = 68.09"). If building a shadowbox job, you will need 15 pickets per 6' section.

Front of Shadowbox



Back of Shadowbox

Use the handy EZ4U™ grid to draw out your job. Note posts each 6'. Note whether these are line posts, corner posts, or end/gate posts. Count 14 pickets for each 6' (or 15 for shadowbox jobs); count 3 rails for each 6'.

For detailed instructions on pre-built section and custom component installation, go to [www.woodshadesfencing.com](http://www.woodshadesfencing.com).

# Colores y estilos de cercas



**Cerca de tablas contiguas de cedro rústico**



**Cerca de tablas intercaladas de cedro rústico**




**Cerca de tablas contiguas de madera roja rústica**



**Cerca de tablas intercaladas de madera roja rústica**



**Cerca de tablas contiguas de madera rústica tipo cobertizo**




**Cerca de tablas intercaladas de madera rústica tipo cobertizo**

WoodShadesfencing.com

## ARMAZON AJUSTABLE PARA PORTON

- Incluye accesorios
- Fácil de instalar
- No se combará ni se vencerá
- Con capa de pintura en polvo negra para resistir la oxidación
- Bisagras calificadas para soportar 1.407 kg (3.100 lb)

\*Instrucciones incluidas



### Portón de paso peatonal

Requiere (1) armazón ajustables para portón

### Portón para carro

Requiere (2) armazones ajustables para portón

Note: Diseñado para ajustarse y adaptarse a aberturas de 0,91 a 1,83 m (36" a 72") (postes interiores)

### Herramientas requeridas:

- Llave de boca ajustable o llave de 7,1 mm (9/32")
- Llave de boca ajustable o llave de 11,1 mm (7/16")
- Llave de boca ajustable o llave de 14,3 mm (9/16")
- Destornillador en cruz (Phillip)
- Alicates para cortar alambre
- Taladro eléctrico
- Broca con punta de lanza de 12,7 mm (1/2")



WoodShadesfencing.com



\*Manija decorativa - Se vende por separado



Para obtener más información llame al 1-800-215-2740



WoodShadesfencing.com



- Estupendo aspecto de madera sin necesidad de mantenimiento
- No sufrirán descomposición por hongos, rajaduras, ni grietas
- Sistema EZ4U™ fácil de instalar
- Garantía limitada a 20 años



